



SR9-DT

TitanSlitter

Dual turret slitter

TitanSlitter SR9-DT

Technical Data

Materials

Films, Refined papers,
Laminates

Material thickness

20 - 200 μm (0.5 - 8 mil)

Material widths

1,650 mm (65")
2,250 mm (88.6")

Parent roll diameters

1,270 mm (50")

Finished roll diameters

700 mm (27.5")
(850 mm Option)

Finished roll weights

450 kg (992 lbs)

Slitting systems

Razor · In Air · In Groove · Shear

Slitting widths

≥ 25 mm (1") - 1,100 mm (43.3")


Winding cores

70 mm (2.75") · 76 mm (3")
152 mm (6")

Machine speed

max. 1,000 m/min (3280.8 ft/min)

Performance.
A definite strength
of the TitanSlitter.



Standard Features:


- Fully Electric Operation
- Overhead Web Path
- Servo Driven Unwind Chucks
- Digitally Positioned Unwind
- Overhead Web Path
- Positive Digital Knife Positioning
- Linear Tracking Slitter Section
- Fast Turret Sequence
- Turret Support
- External Edge Trim Extraction Blower
- Selection of Reel Unloaders

TitanSlitter SR9-DT.

High Performance - Technologically Advanced.

The SR9-DT turret slitter provides both converters and film producers with ultimate performance in slitting and rewinding solutions. Incorporating innovative and proven design features, the SR9-DT is the acknowledged benchmark in productivity for a turret slitter rewinder achieving consistently high output and product quality.

The SR9-DT will satisfy converters looking for the highest level of automation to meet the highest production demands.



Wide range of equipment options

Optional Features:

- Flag Detection Camera
- Impression Counter
- Servo Core Positioning
- Laser Core positioning
- Moving Vacuum Splice Table
- Optimum Roll Conditioning
- Guider to Knife Positioning
- Automatic Knife Positioning
- Rewind Cross Cut
- Rewind Stick Down of Core/Tails
- Automatic Reel Pusher
- Automatic Reel Unloading System
- EU Safety



SCAN ME

Your partner worldwide

United Kingdom

HEADQUARTERS

Atlas Converting Equipment Ltd.

8 Wolseley Road, Woburn Road Industrial Estate

Kempston • Bedford, MK42 7XT

T +44 (0)1234 852553

sales@atlasconverting.com

service@atlasconverting.com

www.atlasconverting.com

USA

Atlas Converting North America, Inc.

9801-F Southern Pine Boulevard • Charlotte, NC 28273

T +1 (0)704 587 2450

sales.usa@atlasconverting.com

service.usa@atlasconverting.com

www.atlasconverting.com

China - Hong Kong

Kampf (Hong Kong) Co. Ltd.

Room 803, 8/F • Wanchai Commercial Centre

194-204 Johnston Road, Wanchai • Hong Kong

fon +852 2882 1136

kampfhk@kampf-hk.com

China - Shanghai

Kampf Machinery (Shanghai) Co. Ltd.

302-304, Floor 3 • No. 8, Sunnyworld Center

Lane 1518, South Yumin Road

Jiading District • 201801 Shanghai

fon +86 21 5951 8030

kampf@kampfshanghai.com.cn

India

Kampf Machinery India Pvt. Ltd.

413, fourth floor, Atlantis Heights Sarabhai

Compound, Near Genda Circle • 390007 Vadodara, Gujarat

fon +91 962 404 4922 • service@kampf-india.com

Kampf Machinery India Pvt. Ltd.

Office no. 1121, Tower no. A, Plot No. A-40, ITHUM Building

Sector-62 • 201309 Noida, Uttar Pradesh

fon +91 96240 89896 • sales@kampf-india.com